

### HEX SCREWS



Box Qty:  
**50-200** varies  
depending on  
screw size.

Size = thread size x length (mm)

| Size   | Zinc Plated            | Hot Dip Galvanised     | Stainless Steel        |
|--------|------------------------|------------------------|------------------------|
| M6x20  | HS620Z <span>A</span>  | HS620H <span>C</span>  | HS620S <span>C</span>  |
| M6x25  | HS625Z <span>A</span>  | HS625H <span>A</span>  | HS625S <span>C</span>  |
| M6x30  | HS630Z <span>A</span>  | HS630H <span>A</span>  | HS630S <span>C</span>  |
| M6x40  | HS640Z <span>A</span>  | -                      | HS640S <span>C</span>  |
| M8x20  | HS820Z <span>A</span>  | HS820H <span>A</span>  | HS820S <span>A</span>  |
| M8x25  | HS825Z <span>A</span>  | HS825H <span>A</span>  | HS825S <span>A</span>  |
| M8x30  | HS830Z <span>A</span>  | HS830H <span>A</span>  | HS830S <span>A</span>  |
| M8x40  | HS840Z <span>A</span>  | HS840H <span>A</span>  | HS840S <span>A</span>  |
| M10x20 | HS1020Z <span>A</span> | HS1020H <span>A</span> | HS1020S <span>A</span> |
| M10x25 | HS1025Z <span>A</span> | HS1025H <span>A</span> | HS1025S <span>A</span> |
| M10x30 | HS1030Z <span>A</span> | HS1030H <span>A</span> | HS1030S <span>A</span> |
| M10x40 | HS1040Z <span>A</span> | HS1040H <span>A</span> | HS1040S <span>A</span> |
| M12x25 | HS1225Z <span>A</span> | HS1225H <span>A</span> | HS1225S <span>A</span> |
| M12x30 | HS1230Z <span>A</span> | HS1230H <span>A</span> | HS1230S <span>A</span> |
| M12x40 | HS1240Z <span>A</span> | HS1240H <span>A</span> | HS1240S <span>A</span> |
| M12x50 | HS1250Z <span>A</span> | HS1250H <span>A</span> | HS1250S <span>C</span> |

### FLAT WASHERS



Box Qty:  
**100-500** varies  
depending on  
thread size.

| Threaded Size | Zinc Plated          | Hot Dip Galvanised   | Stainless Steel      |
|---------------|----------------------|----------------------|----------------------|
| M6            | FW6Z <span>A</span>  | FW6H <span>A</span>  | FW6S <span>A</span>  |
| M8            | FW8Z <span>A</span>  | FW8H <span>A</span>  | FW8S <span>A</span>  |
| M10           | FW10Z <span>A</span> | FW10H <span>A</span> | FW10S <span>A</span> |
| M12           | FW12Z <span>A</span> | FW12H <span>A</span> | FW12S <span>A</span> |
| M16           | FW16Z <span>C</span> | FW16H <span>C</span> | FW16S <span>C</span> |

### SPRING WASHERS



Box Qty:  
**100-200** varies  
depending on  
thread size.

| Threaded Size | Zinc Plated          | Hot Dip Galvanised   | Stainless Steel      |
|---------------|----------------------|----------------------|----------------------|
| M6            | SW6Z <span>A</span>  | SW6H <span>A</span>  | SW6S <span>A</span>  |
| M8            | SW8Z <span>A</span>  | SW8H <span>A</span>  | SW8S <span>A</span>  |
| M10           | SW10Z <span>A</span> | SW10H <span>A</span> | SW10S <span>A</span> |
| M12           | SW12Z <span>A</span> | SW12H <span>A</span> | SW12S <span>A</span> |
| M16           | SW16Z <span>C</span> | SW16H <span>C</span> | SW16S <span>C</span> |

### HEX NUTS



Box Qty:  
**50-2000** varies  
depending on  
nut size.

| Threaded Size | Zinc Plated          | Hot Dip Galvanised   | Stainless Steel      |
|---------------|----------------------|----------------------|----------------------|
| M6            | HN6Z <span>A</span>  | HN6H <span>A</span>  | HN6S <span>A</span>  |
| M8            | HN8Z <span>A</span>  | HN8H <span>A</span>  | HN8S <span>C</span>  |
| M10           | HN10Z <span>A</span> | HN10H <span>A</span> | HN10S <span>A</span> |
| M12           | HN12Z <span>A</span> | HN12H <span>A</span> | HN12S <span>A</span> |
| M16           | HN16Z <span>C</span> | HN16H <span>C</span> | HN16S <span>C</span> |

### WEDGE NUTS



Box Qty:  
**100**

| Thread Size | Zinc Plated          | Stainless Steel      |
|-------------|----------------------|----------------------|
| M6          | WN6Z <span>C</span>  | -                    |
| M8          | WN8Z <span>C</span>  | -                    |
| M10         | WN10Z <span>C</span> | WN10S <span>C</span> |

### EZYSTRUT SPLICE COUNTERBORE NUT

Pack Qty:  
**100**



| Thread Size | Zinc Plated        | Hot Dip Galvanised | Stainless Steel    |
|-------------|--------------------|--------------------|--------------------|
| M10         | CNZ <span>C</span> | CNH <span>A</span> | CNS <span>A</span> |

### EZYSTRUT SPLICE BOLT

Pack Qty:  
**100**



| Thread Size | Zinc Plated        | Hot Dip Galvanised | Stainless Steel    |
|-------------|--------------------|--------------------|--------------------|
| M10         | SBZ <span>C</span> | SBH <span>A</span> | SBS <span>A</span> |

**Service Guide Key:** A Usually in stock at all branches

C Normal lead time

B Usually in stock at head office

D Made to Order (lead time on enquiry)

## THREADED ROD

■ Ask us about  
Rod Cutters



Supplied in 3m lengths

| Threaded Size | Zinc Plated | Hot Dip Galvanised | Stainless Steel |
|---------------|-------------|--------------------|-----------------|
| M6            | TR6Z        | -                  | -               |
| M8            | TR8Z        | TR8H               | TR8S            |
| M10           | TR10Z       | TR10H              | TR10S           |
| M12           | TR12Z       | TR12H              | TR12S           |
| M16           | TR16Z       | TR16H              | TR16S           |

## CHANNEL NUT, LONG SPRING

Box Qty: **100**

Suits 41mm high channel.  
Suits all 41mm wide channel.



| Threaded Size | Zinc Plated | Hot Dip Galvanised | Stainless Steel |
|---------------|-------------|--------------------|-----------------|
| M6            | E1006Z      | E1006H             | E1006S          |
| M8            | E1007Z      | E1007H             | E1007S          |
| M10           | E1008Z      | E1008H             | E1008S          |
| M12           | E1010Z      | E1010H             | E1010S          |

## MUD GUARD WASHERS



Box Qty:  
**100-200** varies  
depending on  
thread size.

Outside diameter 31mm

| Threaded Size | Zinc Plated | Hot Dip Galvanised | Stainless Steel |
|---------------|-------------|--------------------|-----------------|
| M6            | MW6Z        | MW6H               | MW6S            |
| M8            | MW8Z        | MW8H               | MW8S            |
| M10           | MW10Z       | MW10H              | MW10S           |
| M12           | MW12Z       | MW12H              | MW12S           |

## CHANNEL NUT, SHORT SPRING

Box Qty: **100**

Suits 21mm high channel.  
Suits all 41mm wide channel.



| Thread Size | Zinc Plated | Hot Dip Galvanised |
|-------------|-------------|--------------------|
| M6          | E4006Z      | E4006H             |
| M8          | E4007Z      | E4007H             |
| M10         | E4008Z      | E4008H             |
| M12         | E4010Z      | E4010H             |

Note: M12 Channel Nuts not suitable for 21mm high channel.  
An alternative is available on request.

## PAN HEAD SCREWS




Box Qty:  
**100-200** varies  
depending on  
screw size.

Size = thread size x length (mm)

| Size  | Zinc Plated | Stainless Steel |
|-------|-------------|-----------------|
| M6x16 | PS616Z      | PS616S          |
| M6x20 | PS620Z      | PS620S          |
| M6x25 | PS625Z      | PS625S          |
| M8x25 | PS825Z      | -               |

## COUNTERSUNK PHILLIPS SCREW



Box Qty:  
**100-200** varies  
depending on  
screw size.

Size = thread size x length (mm)

| Size  | Zinc Plated | Stainless Steel |
|-------|-------------|-----------------|
| M6x16 | CS616Z      | CS616S          |
| M6x20 | CS620Z      | CS620S          |
| M6x25 | CS625Z      | CS625S          |
| M8x20 | CS820Z      | CS820S          |
| M8x25 | CS825Z      | CS825S          |

## CHANNEL NUT, NO SPRING

Box Qty: **100**

Suits all 41mm  
wide channel



| Thread Size | Zinc Plated | Hot Dip Galvanised |
|-------------|-------------|--------------------|
| M6          | E3006Z      | E3006H             |
| M8          | E3007Z      | E3007H             |
| M10         | E3008Z      | E3008H             |
| M12         | E3010Z      | E3010H             |

Note: M12 Channel Nuts not suitable for 21mm high channel.  
An alternative is available on request.

## E3016 CHANNEL NUT, NO SPRING

Box Qty: **100**

Suits all channel



| Thread Size | Zinc Plated | Hot Dip Galvanised | Stainless Steel |
|-------------|-------------|--------------------|-----------------|
| M6          | E3016Z      | E3016H             | E3016S          |

FASTENERS

STRUT SYSTEMS

CABLE SUPPORTS

FIRERATED

PIPE SUPPORTS

### SLEEVE ANCHOR - HEX HEAD



Box Qty:  
**25-100** varies  
depending on  
screw size.

Size = thread size x length (mm)

| Size    | Zinc Plated   | Hot Dip Galvanised | Stainless Steel |
|---------|---------------|--------------------|-----------------|
| M8x40   | MTBMSYM080040 | MTBMSGM080040      | MTB16PM080040   |
| M8x60   | -             | -                  | MTB16PM080060   |
| M8x80   | -             | MTBMSGM080085      | MTB16PM080080   |
| M10x50  | MTBMSYM100050 | MTBMSGM100050      | MTB16PM100050   |
| M10x60  | MTBMSYM100060 | MTBMSGM100060      | -               |
| M10x75  | MTBMSYM100075 | MTBMSGM100075      | MTB16PM100075   |
| M10x100 | MTBMSYM100100 | MTBMSGM100100      | MTB16PM100100   |
| M12x60  | MTBMSYM120060 | MTBMSGM120060      | MTB16PM120060   |
| M12x80  | -             | -                  | MTB16PM120080   |
| M12x100 | MTBMSYM120100 | MTBMSGM120100      | MTB16PM120100   |

Service Guide

**C** All items listed above

### SLEEVE ANCHOR - FLUSH HEAD



Box Qty:  
**25-50** varies  
depending on  
screw size.

Zinc Plated

Size = thread size x length (mm)

| Size    | Part Number   | Service Guide |
|---------|---------------|---------------|
| M10x55  | MTH88YM100055 | <b>C</b>      |
| M10x100 | MTH88YM100100 | <b>C</b>      |
| M12x80  | MTH88YM120080 | <b>C</b>      |

### THROUGH BOLT



Box Qty:  
**25-50** varies  
depending on  
screw size.

Mechanically Galvanised

Size = thread size x length (mm)

| Size    | Part Number    | Service Guide |
|---------|----------------|---------------|
| M8x80   | MAW58GCM080080 | <b>C</b>      |
| M8x100  | MAW58GCM080100 | <b>C</b>      |
| M8x120  | MAW58GCM080120 | <b>C</b>      |
| M10x90  | MAW58GCM100090 | <b>C</b>      |
| M10x120 | MAW58GCM100120 | <b>C</b>      |
| M12x80  | MAW58GCM120080 | <b>C</b>      |
| M12x100 | MAW58GCM120100 | <b>C</b>      |
| M12x140 | MAW58GCM120140 | <b>C</b>      |

### THROUGH BOLT (ETA1) ZP

Fire Rated



Box Qty:  
**25-100** varies  
depending on  
screw size.

SEISMIC  
SOLUTIONS

Zinc Plated

Size = thread size x length (mm)

| Size    | Part Number      | Service Guide |
|---------|------------------|---------------|
| M8x80   | EAWMSZD15M080080 | <b>C</b>      |
| M8x100  | EAWMSZD15M080100 | <b>C</b>      |
| M8x120  | EAWMSZD15M080120 | <b>C</b>      |
| M10x90  | EAWMSZD15M100090 | <b>C</b>      |
| M10x120 | EAWMSZD15M100120 | <b>C</b>      |
| M12x80  | TB12080          | <b>C</b>      |
| M12x100 | TB12100          | <b>C</b>      |
| M12x140 | TB12140          | <b>C</b>      |
| M12x180 | TB12180          | <b>C</b>      |

### THROUGH BOLT (ETA1) SS

Fire Rated



Box Qty:  
**25-200** varies  
depending on  
screw size.

Stainless Steel (316)

Size = thread size x length (mm)

| Size    | Part Number      | Service Guide |
|---------|------------------|---------------|
| M8x68   | EAW16PD17M080068 | <b>C</b>      |
| M8x75   | EAW16PD17M080075 | <b>C</b>      |
| M8x90   | EAW16PD17M080090 | <b>C</b>      |
| M8x115  | EAW16PD17M080115 | <b>C</b>      |
| M8x135  | EAW16PD17M080135 | <b>C</b>      |
| M10x65  | TB10065SS        | <b>C</b>      |
| M10x90  | EAW16PD18M100090 | <b>C</b>      |
| M10x105 | EAW16PD18M100105 | <b>C</b>      |
| M10x110 | EAW16PD18M100110 | <b>C</b>      |
| M10x135 | EAW16PD18M100135 | <b>C</b>      |
| M10x155 | EAW16PD18M100155 | <b>C</b>      |
| M10x185 | EAW16PD18M100185 | <b>C</b>      |
| M12x110 | EAW16PD18M120110 | <b>C</b>      |
| M12x120 | EAW16PD18M120120 | <b>C</b>      |
| M12x145 | EAW16PD18M120145 | <b>C</b>      |

**Service Guide Key:** **A** Usually in stock at all branches

**C** Normal lead time

**B** Usually in stock at head office

**D** Made to Order (lead time on enquiry)

## SCREW BOLT



Box Qty:  
**20-50** varies  
depending on  
screw size.

Size = thread size x length (mm)

| Size          | Zinc (Yellow)        | Hot Dip Galvanised              |
|---------------|----------------------|---------------------------------|
| M10x100       | <b>MXHMSYM100100</b> | <b>MXHMSGM100100</b>            |
| M12x100       | <b>MXHMSYM120100</b> | <b>MXHMSGM120100</b>            |
| M12x150       | <b>MXHMSYM120150</b> | <b>MXHMSGM120150</b>            |
| Service Guide |                      | <b>C</b> All items listed above |

## WALL KATT™



Hobson's Wall Katt™ is a one-piece screw anchor without the need for plugs.

Zinc Plated  
Box Qty: **100**

| Length | Drive | Part Number         | Service Guide |
|--------|-------|---------------------|---------------|
| 32mm   | PH2   | <b>MWKXZPP65032</b> | <b>C</b>      |

## SNAKE-PRO™



Powers' Snake-Pro is an internally threaded self-tapping anchor.

Box Qty: **50**  
Zinc Clear

| Size | Part Number        | Service Guide |
|------|--------------------|---------------|
| M10  | <b>SM10PRO-PWR</b> | <b>C</b>      |

## INSTALLATION TOOL - SDS PLUS DRILL BIT



Box Qty: **1**

| Size | Part Number          | Service Guide |
|------|----------------------|---------------|
| 12.7 | <b>SB12.7x50-PWR</b> | <b>C</b>      |

## INSTALLATION TOOL - SETTING TOOL



Box Qty: **1**

| Size | Part Number       | Service Guide |
|------|-------------------|---------------|
| M8   | <b>SSTM8-PWR</b>  | <b>C</b>      |
| M10  | <b>SSTM10-PWR</b> | <b>C</b>      |

## SNAKE-PRO™ BULK BUCKET

Includes 500pcs, 2 x drill bits and 1 x setting tool.

| Size | Part Number        | Service Guide |
|------|--------------------|---------------|
| M10  | <b>SM10KIT-PWR</b> | <b>C</b>      |

## SCREW BOLT (ETA1)



Box Qty:  
**20-50** varies  
depending on  
screw size.

Zinc Plated

Size = thread size x length (mm)

| Size    | Part Number      | Service Guide |
|---------|------------------|---------------|
| M10x60  | <b>SXTB1060</b>  | <b>C</b>      |
| M10x75  | <b>SXTB1075</b>  | <b>C</b>      |
| M10x100 | <b>SXTB10100</b> | <b>C</b>      |
| M10x120 | <b>SXTB10120</b> | <b>C</b>      |
| M10x140 | <b>SXTB10140</b> | <b>C</b>      |
| M10x200 | <b>SXTB10200</b> | <b>C</b>      |
| M12x80  | <b>SXTB1280</b>  | <b>C</b>      |
| M12x100 | <b>SXTB12100</b> | <b>C</b>      |
| M12x150 | <b>SXTB12150</b> | <b>C</b>      |
| M12x200 | <b>SXTB12200</b> | <b>C</b>      |

THREADED ROD HANGER  
(CONCRETE SCREW ADAPTOR)

Box Qty: **50**  
Zinc Plated

Size = internal thread

| Size   | Description | Part Number             | Service Guide |
|--------|-------------|-------------------------|---------------|
| M8-M10 | 6 x 35mm    | <b>MUMMCISI05540603</b> | <b>C</b>      |
|        | 6 x 55mm    | <b>MUMMCISI05540605</b> | <b>C</b>      |

## HEX HEAD CONCRETE SCREW



Box Qty: **100**  
R1000 Coating

| Size  | Description | Part Number       | Service Guide |
|-------|-------------|-------------------|---------------|
| 3/16" | 6.5 x 70mm  | <b>MTXTL65070</b> | <b>C</b>      |
|       | 6.5 x 83mm  | <b>MTXTL65083</b> | <b>C</b>      |
|       | 6.5 x 100mm | <b>MTXTL65100</b> | <b>C</b>      |

## INSTALLATION TOOL - SDS DRILL BIT



Box Qty: **1**

| Size  | Drive    | Part Number     | Service Guide |
|-------|----------|-----------------|---------------|
| 3/16" | SDS Plus | <b>GCSDS316</b> | <b>C</b>      |

### DROP-IN ANCHOR (ETA1)

Fire Rated



Box Qty: **100**

| Size | Zinc (Clear)   | Stainless Steel (316) |
|------|----------------|-----------------------|
| M6   | EDIMSZ73M06025 | -                     |
| M8   | EDIMSZ73M08030 | DXTMS08SS             |
| M10  | EDIMSZ73M10040 | DXTMS10SS             |
| M12  | EDIMSZ73M12050 | DXTMS12SS             |

Service Guide All items listed above

#### INSTALLATION TOOL - MANUAL SETTING TOOL



Box Qty: **1**

| Size | Part Number | Service Guide |
|------|-------------|---------------|
| M6   | EDTMSZM06   |               |
| M8   | EDTMSZM08   |               |
| M10  | EDTMSZM10   |               |
| M12  | EDTMSZM12   |               |

### LIPPED DROP-IN ANCHOR (ETA1)

Fire Rated



Box Qty: **100**  
Zinc Plated

| Size   | Part Number    | Service Guide |
|--------|----------------|---------------|
| M10x40 | MDLMSYCM100040 |               |
| M12x50 | MDLMSYCM120050 |               |

#### LIPPED DROPIN ANCHOR BUCKET



| Description       | Part Number |
|-------------------|-------------|
| M10x40mm (500pcs) | DLXTM1040BK |
| M12x50mm (300pcs) | DLXTM1250BK |

#### INSTALLATION TOOL - MANUAL SETTING TOOL



Box Qty: **1**

| Size | Part Number | Service Guide |
|------|-------------|---------------|
| M6   | EDTMSZM06   |               |
| M8   | EDTMSZM08   |               |
| M10  | EDTMSZM10   |               |
| M12  | EDTMSZM12   |               |

### LIPPED DROP-IN ANCHOR\*



Box Qty: **50**  
Zinc

\*Does not carry ETA approvals.

| Size   | Part Number   | Service Guide |
|--------|---------------|---------------|
| M10x30 | MDLMSYCM10030 |               |
| M10x40 | MDLMSYCM10040 |               |
| M12x50 | MDLMSYCM12050 |               |

#### LIPPED DROPIN ANCHOR BUCKET\*



| Description       | Part Number    |
|-------------------|----------------|
| M10x30mm (500pcs) | MDKMSYCM100030 |

#### INSTALLATION TOOLS for M10x30mm\*



Box Qty: **1**

| Description   | Part Number      | Service Guide |
|---------------|------------------|---------------|
| Setting Tool  | LDSP1030-PWR     |               |
| SDS Drill Bit | SDSPLUS12x35-PWR |               |

#### INSTALLATION TOOL - MANUAL SETTING TOOL\*



Box Qty: **1**  
Suit M10x30 Anchor

| Size | Part Number | Service Guide |
|------|-------------|---------------|
| M10  | MATR10      |               |

### BANGER ROD HANGER (STEEL)



Box Qty: **100**  
Zinc Plated  
Suits M8, M10 & M12

| Part Number | Service Guide |
|-------------|---------------|
| BBSDI081012 |               |

### BANGER ROD HANGER (TIMBER)



Box Qty: **100**  
Zinc Plated  
Suits M8, M10 & M12

| Part Number | Service Guide |
|-------------|---------------|
| BBPIP081012 |               |

**Service Guide Key:** Usually in stock at all branches

Normal lead time

Usually in stock at head office

Made to Order (lead time on enquiry)

**VERTICAL THREADED ROD HANGER  
(FOR TIMBER)**Box Qty: **100**

Zinc Plated

| Size | Length | Part Number      | Service Guide |
|------|--------|------------------|---------------|
| M10  | 25mm   | <b>HZTV25M10</b> | <b>C</b>      |
|      | 50mm   | <b>HZTV50M10</b> | <b>C</b>      |

**VERTICAL THREADED ROD HANGER  
(FOR STEEL)**Box Qty: **100**

Zinc Plated

| Size | Length | Part Number    | Service Guide |
|------|--------|----------------|---------------|
| M10  | 25mm   | <b>HZSVM10</b> | <b>C</b>      |

**SIDE THREADED ROD HANGER  
(FOR STEEL)**Box Qty: **100**

Zinc Plated

| Size | Length | Part Number    | Service Guide |
|------|--------|----------------|---------------|
| M10  | 25     | <b>HZSSM10</b> | <b>C</b>      |

**THREADED ROD HANGER  
(FOR CONCRETE)**Box Qty: **100**

Zinc Plated

| Size | Length | Part Number           | Service Guide |
|------|--------|-----------------------|---------------|
| M10  | 38mm   | <b>MVXMSZIM100038</b> | <b>C</b>      |

**HANGER MATE™ INTERNAL  
THREADED ROD HANGERS**

Fire Rated

SEISMIC  
SOLUTIONSInstallation  
tools are also  
available.Box Qty: **100**

Zinc Plated

| Size | Description | Part Number             | Service Guide |
|------|-------------|-------------------------|---------------|
| M8   | 6x40mm      | <b>SXTB-IM06035</b>     | <b>C</b>      |
| M10  | 8x50mm      | <b>SXTB-IM08050-M10</b> | <b>A</b>      |

**THREADED ROD HANGER  
INSTALLATION TOOL**Box Qty: **1**

| Description          | Size | Part No.        | Service Guide |
|----------------------|------|-----------------|---------------|
| Socket Driver (Blue) | M10  | <b>MXSVSM10</b> | <b>C</b>      |

# Can't find what you need?

We have a fixings, fasteners and consumables catalogue with more details and range of products available.

Request a copy from your representative or download from our website.

FASTENERS

STRUT SYSTEMS

CABLE SUPPORTS

FIRERATED

PIPE SUPPORTS