



UFO SHB23MP200TC - 100/150/200

Dimmable, IP65 LED UFO highbay with selectable colour temperature and power.

Application

Super low profile dimmable LED highbay, ideal for commercial or industrial warehouse environments

Design Specifications

- Integral selectable power 100 / 150 or 200 watts
- Integral selectable colour temperature 3000 , 4000 or 5000K
- Robust, low profile die-cast aluminium IP65/IK08 body profile.
- High efficiency SMD LED chips, with an impressive > 140lm/W optical performance at 150W/4000K, CRI > 70, 90 degree beam distribution, polycarbonate lens
- Integral 1-10V dimmable LED driver, complete with flex and plug for easy installation, optional inline DALI signal converter, optional plug and play corridorSTANDBY sensor
- Power/lumen settings at **3000K** : 100W/13000lm, 150W/18000lm, 200W/22000lm, **4000K** : 100W/14500lm, 150W/21000lm, 200W/26000lm, **5000K** : 100W/14000lm, 150W/19500lm, 200W/24000lm.



Performance

Dimmable - YES

Dimmer Type - 1-10V, optional SAL DALI signal converter

Technical Specification

Model No.	Input Voltage (V/AC)	Multiple Wattage	Lumens (lm)	CCT (K)	Beam Angle (°)	CRI
SHB23MP200TC SHB23MP/CS SHB25HES/RC	240	100/150/200	22000/26000/24000	3000/4000/5000	90	80

Model No.	Body Colour	Dim (mm)	Mass (kg)	iPART
SHB23MP200TC SHB23MP/CS SHB25HES/RC	BLACK CORRIDOR SENSOR REMOTE CONTROL	300(W) x 192(H)	2.8	YES



Note: (1) 1-10V dimming does not provide 100% OFF dimming function. (2) lumens (lm) shown are displayed at the 200W maximum power setting

Note (1) : Sensor default settings: Sensitivity=100%, Hold Time=30mins, StandBy power=30%, StandBy time 30mins, Daylight Threshold=disabled

Note (2) : Sensor and dimming functions cannot be operated simultaneously

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions



THE NEW ESS106 IS SMALL IN SIZE BUT BIG ON FEATURES.



For more
information
please
scan me

