



Representative Photo Only  
(actual product may vary based on configuration selections)

LED Beacon 110/230V AC - IP67 Clear Lens - Green LEDs

#### SPECIFICATIONS

Indication Mode(s)	Sight
Lamp Type	LED type
Number of LEDs	12
Colour, Lamp	Green colour
Illumination Mode	Steady / Flashing
Speed, Flash	60 per min
Material, Lens	PC (Polycarbonate) - UV Stabilised
Un, Nominal Operational Voltage(s), AC	115 V AC 230
Ie, Rated Operational Current, nom	0.02 A,nom
Material, Body / Housing	PC (Polycarbonate) - UV Stabilised material
Connection / Termination	Built-in cable with flying leads
Length, Cable	0.5 m
IP Rating	IP67
Mounting (Multiple)	Mounting Plate (Included) Surface Mount
Diameter, External	76 mm
Weight	0.14 kg
Operating Temperature, Min	-20 °C min
Operating Temperature, Max	55 °C max
Certifications	CE RoHS

## REFERENCES

IECEX Certificate

-

Supplier Declaration of  
Conformity:

-

Installation Guide:

[MOLED80-04G\\_Installation Instructions](#)

User Manual:


-

Manufacturer Datasheet:

[MOLED80-04G\\_ManufacturerDatasheet](#)

Manufacturer Catalogue  
& Product Selection:

-



Catalogue No: **MOLED80-04G**

BEACON 12 LED STATIC OR FLASH 85-265V AC GREEN

[Items.ProductSegment] > Sight Indication > Beacons



2 off Snap-fit Optional  
Fixing Plates supplied  
for Surface mounting

8mm thick  
Fixing Plate

2 x slots  
4 x 9mm

55mm

Surface Mount Option

Technical Diagram